



C/C

Docket No. 740819-405

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT application of)
Shinichi IMAI)
Serial No. 09/630,680)
Patent No 6,749,763 B1) Art Unit: 1765
Issued: June 15, 2004) Examiner: Shamim AHMED
Filed: August 1, 2000) Confirmation No. 7497
For: Plasma Processing Method)

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
Alexandria, VA 22313-1450

Sir:

In reviewing the above-identified patent, printing errors were discovered therein requiring correction in order to conform the Official Record in the application.


The errors noted are set forth on the attached copy of Form PTO-1050 (Rev. 3-82) in the manner required by the Commissioner's Notice.

Specifically, upon reviewing the front page of the patent, it was noted that Column 15, claim 1, line 21 says "more the" and should say - - more, the - -

The change requested herein occurred as a result of printing the Letters Patent and the Certificate should be issued without expense under Rule 322 of the Rules of Practice.

Accordingly, applicants request issuance of the Certificate of Correction

Respectfully submitted,


Donald R. Studebaker
Registration No. 32,815

NIXON PEABODY LLP
401 9th Street, N.W. Suite 900
Washington, DC 20004-2128
(202) 585-8000 Fax: (202) 585-8080

DRS/eoc
W633899.1

FEB 14 2005

RECEIVED
FEB 11 2005
CERTIFICATES OF CORRECTION

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,749,763 *B1*

DATED : June 15, 2004

INVENTOR(S) : Shinichi IMAI

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 15, Claim 1, line 21: please remove "more the" and replace with - - more, the - -

MAILING ADDRESS OF SENDER:

PATENT NO. _____

No. of additional copies

NIXON PEABODY LLP
Suite 900, 401 9th Street, N.W.
Washington, D.C. 20004-2128

→

SEND TO: Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

FEB 14 2005